
Services and pricing policy, Appendix A

Reference services

For the covered Pilbara network

Document Number: 12616312





Date Created/Last Updated	1 October 2021
Review Frequency	Prior to the start of each <i>pricing period</i>
Next Review Date	1 July 2024

This policy remains in effect, until replaced or updated, notwithstanding expiration of the review date.



TABLE OF CONTENTS

1.	AB	BREVIATIONS AND DEFINED TERMS	4
2.	INT	TERPRETATION	.10
3.	PU	JRPOSE OF THIS DOCUMENT	. 10
4.	ВА	CKGROUND	.10
	4.1	Metering services	.11
	4.2	Eligibility criteria	.12
5.	RE	FERENCE SERVICES (EXIT SERVICES)	.13
6.	RE	FERENCE SERVICES (ENTRY SERVICES)	.22
7.	RE	FERENCE SERVICES (BIDIRECTIONAL SERVICES)	.25
8.	RE	FERENCE SERVICES (INTERCONNECTION SERVICES)	.31
9.	RE	FERENCE SERVICES (AUXILIARY)	.32
10	. 9	SUPPLEMENTARY SERVICES (METERING)	.37
	10.1	Service descriptions	.37
	10.2	Permissible supplementary services (metering)	.38
	10.3	Eligibility criteria for supplementary services (metering)	.39
	10.4 bidir	Selection of supplementary service (metering) for exit service, entry service and rectional service	
11	. F	REFERENCES	.41



1. ABBREVIATIONS AND DEFINED TERMS

The following abbreviations are used in this document and have the meaning provided in the table below.

Table 1: Document Abbreviations

able 1. Document Abbreviations	
Abbreviation	Meaning
AS	Australian Standard
kV	kilo Volts, which is 1,000 Volts
kVA	kilo Volt Amps, which is 1,000 Volt Amps
kW	kilo Watts, which is 1,000 Watts
MSLA	Model Service Level Agreement
MVA	Mega Volt Amps, which is 1 million Volt Amps
MWh	Mega Watt hours, which is 1 million Watt hours
NSP	Network Service Provider
NWIS	North West Interconnected System, the common name of the interconnected system of networks described in the <i>Act</i> as the "interconnected Pilbara system"
NZS	New Zealand Standard

The following defined terms are used in this document and have the meaning provided in the table below.

Table 2: Document Defined Terms

Defined term	Meaning
access contract	has the same meaning given to it in the <i>Code</i> .
	{As at 25 June 2021, the <i>Code</i> defines <i>access contract</i> as having the same meaning as 'Pilbara access agreement' does in Part 8A of the <i>Act</i> , and includes an associate arrangement.}
Act	the Electricity Industry Act 2004 (WA).
applicant	has the same meaning given to it in the <i>Code</i> . {As at 25 June 2021, the <i>Code</i> defines <i>applicant</i> as a person (who may be a <i>user</i>) who seeks access to a <i>light regulation network</i> to establish or modify an <i>access contract</i> , and includes a prospective <i>applicant</i> .}
bidirectional point	has the same meaning given to it in the <i>Code</i> . {As at 25 June 2021, the <i>Code</i> defines <i>bidirectional point</i> as a point on a <i>light regulation network</i> which is, or is to be, identified as such (explicitly or by inference) in a contract for <i>services</i> at which, subject to the contract for <i>services</i> , electricity is expected to be, on a regular basis, both transferred into the <i>light regulation network</i> and transferred out of the <i>light regulation network</i> .}



Defined term	Meaning
bidirectional service	a covered service provided at a connection point on a light regulation network that is a bidirectional point.
Code	Pilbara Networks Access Code 2021 (WA).
communications network	a metrology telecommunications link provided by way of telecommunication network and other devices and processes supported by Horizon Power with the capability activated to communicate between the <i>meter</i> and Horizon Power for the upload of <i>energy data</i> from a remote locality.
connect	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>connect</i> as to form a physical link to or through a <i>light regulation network</i> .}
connection point	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>connection point</i> as a point on a <i>light regulation network</i> which is, or is to be, identified as such (explicitly or by inference) in a contract for <i>services</i> as being an <i>entry point</i> , <i>exit point</i> , <i>interconnection point</i> or <i>bidirectional point</i> .}
connection service	the right to connect facilities and equipment at a connection point.
consumer	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>consumer</i> as a person who consumes electricity.}
covered Pilbara network	has the same meaning given to it in section 3 of the <i>Act</i> and for the purposes of this policy includes both a <i>network</i> and a right of the <i>NSP</i> to use a <i>network</i> (to the extent of that right of use).
	{As at 25 June 2021, the <i>Act</i> defines <i>covered Pilbara network</i> as a covered <i>network</i> that is located wholly or partly in the <i>Pilbara region</i> .}
covered service	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>covered service</i> as a <i>service</i> provided by means of a <i>light regulation network</i> , but does not include an excluded service.}
customer	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>customer</i> as a—
	(a) user; or(b) end-use customer in the end-use customer's capacity as indirect customer for covered services.}
distribution system	has the meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>distribution system</i> as any apparatus, equipment, plant or buildings used, or to be used, for, or in connection with the transportation of electricity at nominal voltages of less than 66 kV.}
energy data	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the Metering Code defines energy data as interval energy data or accumulated energy data.}



Defined term	Meaning
entry point	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>entry point</i> as a point on a <i>light regulation network</i> which is, or is to be, identified as such (explicitly or by inference) in a contract for <i>services</i> at which, subject to the contract for <i>services</i> , electricity is more likely to be transferred into the <i>light regulation network</i> than transferred out of the <i>light regulation network</i> .}
entry service	a covered service provided at a connection point on a light regulation network that is an entry point.
exit point	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>exit point</i> as a point on a <i>light regulation network</i> which is, or is to be, identified as such (explicitly or by inference) in a contract for <i>services</i> at which, subject to the contract for <i>services</i> , electricity is more likely to be transferred out of the <i>light regulation network</i> than transferred into the <i>light regulation network</i> .}
exit service	a covered service provided at a connection point on a light regulation network that is an exit point.
facilities and equipment	in relation to a <i>connection point</i> , means the apparatus, equipment, plant and buildings used for or in connection with generating, consuming and transporting electricity at the <i>connection point</i> .
generating works	has the same meaning given to it in section 3 of the Act.
	{As at 25 June 2021, the <i>Act</i> defines <i>generating works</i> as any wires, apparatus, equipment, plant or buildings used, or to be used, for, or in connection with, or to control, the generation of electricity.}
generator	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the <i>Metering Code</i> defines <i>generator</i> as a person who holds (or but for an exemption order under section 8 of the <i>Act</i> would be required by section 7 of the <i>Act</i> to hold) a generation licence or integrated regional licence under Part 2 of the <i>Act</i> for either or both of the construction and operation of <i>generating works</i> , and if any enactment has the effect of deeming such a licence to be held by a part of the person, that part.}
good electricity	has the same meaning given to it in the Code.
industry practice	{As at 25 June 2021, the <i>Code</i> defines <i>good electricity industry practice</i> as the exercise of that degree of skill, diligence, prudence and foresight that a skilled and experienced person would reasonably exercise under comparable conditions and circumstances consistent with applicable written laws and statutory instruments and applicable recognised codes, standards (including relevant Australian Standards) and guidelines.}
harmonised	has the same meaning given to it in the Code.
technical rules	{As at 25 June 2021, the <i>Code</i> defines <i>harmonised technical rules</i> as defined in the Pilbara network rules.}



Defined term	Meaning
Horizon Power technical rules	set of rules established and updated from time to time by Horizon Power that are compliant with the <i>harmonised technical rules</i> and details the technical requirements to be met by Horizon Power on the <i>transmission</i> and <i>distribution systems</i> and by <i>users</i> who connect facilities to the <i>transmission</i> and <i>distribution systems</i> .
Horizon Power Pilbara Network Business	a <i>ringfenced business</i> unit within Horizon Power responsible for the Horizon Power coastal network, including those functions carried out by Horizon Power for the purposes of providing <i>network services</i> in the Horizon Power coastal <i>network</i> .
	Note: Horizon Power Pilbara Network Business is not a separate legal entity and all contractual commitments will be executed in the name of Horizon Power. Where the term Horizon Power Pilbara Network Business is used, it means Horizon Power, acting in its capacity as the owner and operator of the covered Pilbara network, as distinct from Horizon Power acting in its capacity as a provider of services to other regions or as a provider of non-regulated services such as generation and retail within the NWIS.
interconnection	has the same meaning given to it in the Code.
point	{As at 25 June 2021, the <i>Code</i> defines <i>interconnection point</i> as a point on a <i>network</i> at which an interconnector <i>connects</i> to the <i>network</i> }.
interconnection service	a covered service provided at a connection point on a light regulation network that is an interconnection point.
	{As at 25 June 2021, the <i>Code</i> defines <i>interconnection point</i> as a point on a <i>network</i> at which an interconnector connects to the <i>network</i> .}
interval energy data	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the <i>Metering Code</i> defines <i>interval energy data</i> as a measurement (including an estimated or substituted measurement) of electricity production or consumption at a <i>metering point</i> which is accumulated for each trading interval or, if applicable under clause 3.16(3), each submultiple of a trading interval.}
interval meter	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the Metering Code defines interval meter as a meter that measures interval energy data and records it in a data logger, and excludes a meter with interval energy data storage capability which is deemed to be an accumulation meter under clause 3.2(2).}
light regulation	has the same meaning given to it in the Code.
network	{As at 25 June 2021, the <i>Code</i> defines <i>light regulation network</i> as a <i>covered Pilbara network</i> which is regulated by Part 8A of the <i>Act</i> .}
meter	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the <i>Metering Code</i> defines <i>meter</i> as a <i>device</i> which measures and records electricity production or consumption.}
Metering Code	the Electricity Industry (Metering) Code 2012 (WA).



Defined term	Meaning
metering point	for a connection point without a meter, the connection point; and
	for a connection point with a meter, the point at which that meter measures electricity production or consumption for the connection point.
metering service	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the <i>Metering Code</i> defines <i>metering service</i> as a service in connection with the measurement of electricity production or consumption, including in connection with:
	 (a) the provision, installation, operation and maintenance of metering equipment; and (b) the obtaining, provision, storage and processing of data; and (c) services ancillary to the services listed in paragraphs (a) and (b) of this definition.}
model service level agreement (MSLA)	the current model service level agreement made in accordance with the Metering Code.
network	has the same meaning given to 'network infrastructure facilities' in the Act.
	{As at 25 June 2021, the <i>Act</i> defines 'network infrastructure facilities' as—
	 (a) electricity infrastructure used, or to be used, for the purpose of transporting electricity from generators of electricity to other electricity infrastructure or to end <i>user</i>s of electricity; and (b) includes stand-alone power systems, or storage works, used, or to be used, as an adjunct to electricity infrastructure.}
network service	has the same meaning given to 'Pilbara network service provider' in the Act.
provider (NSP)	{As at 25 June 2021, the <i>Act</i> defines ' <i>Pilbara network service provider</i> ' as a person who—
	(a) owns, controls or operates a Pilbara <i>network</i> or any part of a Pilbara <i>network</i> ; or
	(b) proposes to own, control or operate a Pilbara network or any part of a Pilbara network.}
non-residential	premises that are not residential premises. Residential premises are:
premises	 (a) premises where the electricity supply is solely for residential purposes; (b) where the electricity supply is to premises used for both residential and other purposes, that part of the premises used solely for residential purposes if that part is independently supplied and separately metered; or (c) premises used for both residential and other purposes where the circuit wiring is not separate provided that Horizon Power determines, as a reasonable and prudent person, that the consumption at the premises is, or will be, less than 100 MWh per annum.
permissible supplementary service (metering)	a <i>metering service</i> that is available for a <i>user</i> to select as a component of the <i>reference service</i> from the options set out in clause 9.2.



Defined term	Meaning
price list	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>price list</i> as the schedule of <i>tariffs</i> for a <i>light regulation network</i> .}
reasonable and	has the same meaning given to it in the Code.
prudent person	{As at 25 June 2021, the <i>Code</i> defines <i>reasonable</i> and <i>prudent person</i> as a person acting in good faith and in accordance with <i>good electricity industry practice</i> .}
reference service	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>reference service</i> as a <i>covered service</i> designated by a <i>services and pricing policy</i> to be a reference service, and which is provided on the corresponding <i>reference terms and conditions</i> .}
reference tariff	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>reference tariff</i> as the <i>tariff</i> specified in a <i>price list</i> for a <i>reference service</i> .}
reference terms and	has the same meaning given to it in the Code.
conditions	{As at 25 June 2021, the <i>Code</i> defines <i>reference terms and conditions</i> as the terms and conditions specified in the <i>services and pricing policy</i> on which a <i>reference service</i> will be provided at a <i>reference tariff</i> .}
services	has the same meaning given to it in the <i>Act</i> , and service has a corresponding meaning.
	{As at 25 June 2021, the Act defines services as—
	(a) the transport of electricity, and other <i>services</i>, provided by means of <i>network</i> infrastructure facilities; and(b) <i>services</i> ancillary to those <i>services</i>.}
services and pricing	has the same meaning given to it in the Code.
policy	{As at 25 June 2021, the <i>Code</i> defines <i>services and pricing policy</i> as the policy of an <i>NSP</i> which contains the details referred to in section 40.}
small use customer	has the meaning given to 'customer' in the within the meaning of section 78 of the Act (for the purposes of Part 6 of the Act).
	{As at 25 June 2021, section 78 of the <i>Act</i> defines 'customer' as a customer who consumes not more than 160 MWh of electricity per annum.}
standard metering service	the default <i>metering service</i> relevant to a <i>reference service</i> as described in clause 9.2.
standing data	has the same meaning given to it in the Metering Code.
	{As at 25 June 2021, the <i>Metering Code</i> defines <i>standing data</i> as the meaning given to it in clause 4.3(1).}



Defined term	Meaning
sub-transmission	has the same meaning given to it in the Code.
system	{As at 25 June 2021, the <i>Code</i> defines <i>sub-transmission system</i> as any apparatus, equipment, plant or buildings used, or to be used, for, or in connection with, the transportation of electricity at nominal voltages of 22 kV or higher but less than 66 kV dedicated to a single <i>connection point</i> above 15 MVA.}
supplementary service (metering)	the metering service selected from the permissible supplementary service (metering) options by the user as a component of the reference service.
tariff	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>tariff</i> for a <i>covered service</i> , as the criteria that determine the charge that is payable by a <i>user</i> to the <i>NSP</i> .}
transmission system	has the same meaning given to it in the Act.
	{As at 25 June 2021, the <i>Act</i> defines <i>transmission system</i> as any apparatus, equipment, plant or buildings used, or to be used, for, or in connection with, the transportation of electricity at nominal voltages of 66 kV or higher.}
user	has the same meaning given to it in the Code.
	{As at 25 June 2021, the <i>Code</i> defines <i>user</i> as a person, who is a party to a contract for <i>services</i> with an <i>NSP</i> , and in connection with a deemed associate arrangement, includes the <i>NSP's</i> other business.}
WA Electrical	has the meaning given to it in the Electricity (Licensing) Regulations 1991 (WA).
Requirements	{As at 25 June 2021, the <i>Electricity (Licensing) Regulations 1991 (WA)</i> defines <i>WA Electrical Requirements</i> as known by that name as issued by the Director.}

2. INTERPRETATION

In this document a reference to a written law or statutory instrument includes any amendment or replacement of it that is for the time being in force, and includes all instruments made under it from time to time.

A reference to the *price list* includes an amendment or replacement of it that is for the time being applicable.

3. PURPOSE OF THIS DOCUMENT

This document is an appendix to the *services* and *pricing* policy that describes the *reference* services that are available to *users* and *customers* that have, or are entering into, an *access* contract with *Horizon Power Pilbara Network Business* for access to the *covered Pilbara* network.

4. BACKGROUND

Section 40(1) of the *Code* requires the *NSP* of a *light regulation network* to have a *services* and pricing policy that sets out, among other things:



- each reference service to be offered on the light regulation network
- reference terms and conditions for each such service in accordance with section 40(2).

Section 40(2) of the *Code* states that the *reference terms and conditions* must comply with section 61 of the *Code* and include at least:

- service characteristics and quality
- the *user*'s operational and technical performance obligations
- duration
- curtailment regime
- risk and liability regime
- payment terms
- prudential requirements.

Section 61 of the *Code* states that the *NSP* of a *light regulation network* must ensure that at all times its *services and pricing policy*:

- (a) specifies at least one reference service (including reference terms and conditions)
- (b) specifies a *reference service* (including *reference terms and conditions*) for each *covered service* that is likely to be sought by (or the benefit of which is likely to be sought by) either or both of:
 - i. a significant number of customers and applicants; or
 - ii. a substantial proportion of the market for *services* in the *light regulation network*;

and

(c) to the extent reasonably practicable, specifies *reference services* in such a manner that a *user* or *applicant* is able to acquire by way of one or more *reference services* only those elements of a *covered service* that the *user* or *applicant* wishes to acquire.

4.1 Metering services

In accordance with clause 4.1.1 of Horizon Power's Electricity Integrated Regional Licence, *metering services* will be provided in accordance with the *Metering Code* and the *MSLA*.

The exit services A1 to A7, entry services B1 to B3, bidirectional services C1 to C5 and interconnection service D1 each include a supplementary service (metering).

Supplementary services (metering) are described in clause 10.1.

Details of the supplementary *services* (metering) that are available to be selected by the *user* are set out in clause 10.2.

There is an applicable *supplementary service (metering) tariff* payable by *users* as a component of the applicable *reference tariff* for each *reference service*.

The *supplementary service* (*metering*) *tariff* recovers the cost of the *standard metering service* for the relevant *reference service*.



The reference tariffs are published in the applicable price list. A charge is payable by users to Horizon Power for services received under access contracts based on applying these reference tariffs.

Users who select an additional *supplementary service* (*metering*) for the relevant *reference service* may be required to pay an additional charge for the capital and non-capital costs that are incremental to the related *standard metering service*.

There is no charge to *users* in addition to the *supplementary service* (*metering*) tariff for the following *metering services* for so long as that is consistent with the *MSLA*:

- (a) upgrade of the meter to align with the requirements of the *Metering Code* as a result of throughput at the *connection point* changing;
- (b) customer meter reading;
- (c) historical *interval energy data* from *interval meters* for a period of up to 12 months in accordance with the requirements of clause A4.2 of the Electricity Industry (Customer Transfer) Code 2016; and
- (d) the provision of standing data in accordance with the Metering Code.

The non-price terms and conditions under which supplementary services (metering) are provided are set out in the *MSLA*.

4.2 Eligibility criteria

For each *reference service*, eligibility criteria are stated. These are the conditions which must be satisfied in order to receive and continue to receive the *reference service*. They are not, and should not be read as, conditions a *user* is entitled to from Horizon Power.



5. REFERENCE SERVICES (EXIT SERVICES)

Horizon Power offers seven exit services as reference services.

Reference service name:	Reference service A1 – Metered demand (low voltage) exit service
Reference service name:	Reference service A1 – Metered demand (low voltage) exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the low voltage (up to 1.0 kV) distribution system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the low voltage (up to 1.0 kV) distribution system; and The meter is configured to measure the transfer of electricity out of the Horizon Power network; and From 7 January 2022, the user's energy consumption is:
Applicable reference tariff:	DT1
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract



Reference service name:	Reference service A1 – Metered demand (low voltage) exit service
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service A2 – Contract Maximum Demand (low voltage) exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the low voltage (up to 1.0 kV) distribution system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the low voltage (up to 1.0 kV) distribution system; and The contracted maximum demand at the exit point is:
Applicable reference tariff:	DT2
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service A3 – Metered demand (high voltage) exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the high voltage (1.0 kV or higher) distribution system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the high voltage (1.0 kV or higher) distribution system; and The meter is configured to measure the transfer of electricity out of the Horizon Power network; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable
	reference tariff for this service; or b. The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	DT3
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service A4 – Contract Maximum Demand (high voltage) exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the high voltage (1.0 kV or higher) distribution system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the high voltage (1.0 kV or higher) distribution system; and The contracted maximum demand at the exit point is greater than 1 MVA and less than 15 MVA; and The meter is configured to measure the transfer of electricity out of the Horizon Power network; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power:
Applicable reference tariff:	DT4
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service A5 – Sub-transmission exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the sub-transmission system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the sub-transmission system; and The contracted maximum demand at the exit point is greater than 15 MVA; and The meter is configured to measure the transfer of electricity out of the Horizon Power network; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power:
Applicable reference tariff:	TT1
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service A6 – Transmission exit service
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the transmission system.
Eligibility criteria:	 Users are eligible to use this service if: The exit point is on the transmission system; and The meter is configured to measure the transfer of electricity out of the Horizon Power network; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	TT2
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service	Reference Service A7 – Streetlighting exit service
name:	
Reference service description:	An exit service combined with a connection service and a supplementary service (metering) at an exit point on the low voltage (up to 1.0 kV) distribution system for the purpose of streetlighting, plus the service of the provision and maintenance of the streetlighting assets.
	These streetlighting assets are designed for the environment they will operate in with input from the <i>user's customer</i> of this service. The streetlighting design occurs in accordance with the applicable streetlighting design standards (including AS/NZS 1158 and AS/NZS 60598) and regulatory requirements at the time of installation.
	Horizon Power will maintain the streetlighting assets to ensure that the streetlighting <i>exit service</i> continues to be provided to design levels. Horizon Power will:
	 Inspect the streetlighting poles for structural and electrical integrity consistent with good electricity industry practice and relevant standards.
	 Replace and reinforce the streetlighting poles consistent with good electricity industry practice and relevant standards. Repair the streetlighting assets including where damage occurs by
	 third parties. Provide emergency response to incidents involving the streetlighting assets.
	 Replace or repair the streetlighting lamps, luminaires, control equipment and supply wiring upon failure, damage or at the end of their serviceable life.
	 Replace or repair the underground streetlighting supply cables and overhead conductors upon failure, damage or at the end of their serviceable life.
	 Replace or repair the lamps and luminaires where upon investigation the lumen output no longer meets design levels. Provide a call centre and online facility to receive streetlighting fault information from the public and the user's customer of the exit
	 service (typically the relevant local government authority). Maintain an inventory of the streetlighting assets to which the exit service applies including the date of installation of each asset, the type of asset, rated power and the location of the asset.
	 Respond to questions from the user's customer of the exit service (typically the relevant local government authority) about in-service inventory within 20 working days.
Eligibility criteria:	Users are eligible to use this service if:
	1. The exit point is on the low voltage (up to 1.0 kV) distribution system;
	and 2. The streetlight is owned, operated and maintained by Horizon Power; and
	Each of the following does not apply under an agreement with Horizon Power:
	 The tariff that determines the charge is different to the applicable reference tariff for this service; or



Reference service name:	Reference Service A7 – Streetlighting exit service
	b. The <i>user</i> is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	DT5
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19 Electricity Distribution Licence Performance Reporting Handbook, page 15
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



6. REFERENCE SERVICES (ENTRY SERVICES)

Horizon Power offers three *entry services* as *reference services*.

Reference service name:	Reference service B1 – Distribution (high voltage) entry service
Reference service description:	An entry service combined with a connection service and a supplementary service (metering) at an entry point on the high voltage (1.0 kV or higher) distribution system.
Eligibility criteria:	Users are eligible to use this service if:
	 The entry point is on the high voltage (1.0 kV or higher) distribution system; and The meter is configured to measure the transfer of electricity into the Horizon Power network; and The generator's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	DT7
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference Service B2 – Entry service facilitating a distributed generation or other non-network solution
Reference service description:	An entry service combined with a connection service and a supplementary service (metering) on the low voltage (up to 1.0 kV) distribution system in circumstances where this service provides for facilities and equipment connected behind a connection point (including distributed generating works and other non-network solutions) that results in Horizon Power's capital-related costs or non-capital costs reducing as a result of the entry point for the distributed generating works or other non-network solution being located in that particular part of the covered Pilbara network. {Note: a 'thin connection' that involves the export of electricity onto the Horizon Power network or the provision of another network support service may be eligible for this service.}
Eligibility criteria:	 Users are eligible to use this service if: The entry point is on the low voltage (up to 1.0 kV) distribution system; and The meter is configured to measure the transfer of electricity into the Horizon Power network; and The generator's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and The user has submitted an electricity transfer application for this service and that application is approved; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	DT8
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service	Reference service B3 – Transmission entry service
name:	
Reference service description:	An entry service combined with a connection service and a supplementary service (metering) at an entry point on the transmission system.
Eligibility criteria:	Users are eligible to use this service if:
Applicable reference	 The entry point is on the transmission system; and The meter is configured to measure the transfer of electricity into the Horizon Power network; and The generator's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
tariff:	
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



7. REFERENCE SERVICES (BIDIRECTIONAL SERVICES)

Horizon Power offers five bidirectional services as reference services.

Reference service name:	Reference service C1 – Metered demand (low voltage) bidirectional service
Reference service description:	A bidirectional service combined with a connection service and a supplementary service (metering) at a bidirectional point on the low voltage (up to 1.0 kV) distribution system.
Eligibility criteria:	 Users are eligible to use this service if: The bidirectional point is on the low voltage (up to 1.0 kV) distribution system; and The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and The user's energy consumption is:
Applicable reference tariff:	different to the applicable service standards for this service. DT1
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service C2 – Contract Maximum Demand (low voltage) bidirectional service
Reference service description:	A bidirectional service combined with a connection service and a supplementary service (metering) at a bidirectional point on the low voltage (up to 1.0 kV) distribution system.
Eligibility criteria:	Users are eligible to use this service if:
	 The bidirectional point is on the low voltage (up to 1.0 kV) distribution system; and The bidirectional point is located at non-residential premises with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and The contracted maximum demand at the bidirectional point is: less than 1,500 kVA based on historic metering data; or Horizon Power determines, as a reasonable and prudent person, that the user's forecast maximum demand will be less than 1,500 kVA; and The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and The consumer's inverter system complies with the requirements of AS 4777 and the Horizon Power technical rules, and satisfies a technical assessment by Horizon Power for installations larger than 30 kVA; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.
Applicable reference tariff:	DT2
Applicable standard access contract:	Network Access Contract
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract
Curtailment regime:	As per section 25 of the Network Access Contract
Risk and liability regime:	As per section 22 of the Network Access Contract
Payment terms:	As per the Due Date in the Network Access Contract
Prudential requirements:	As per section 12 of the Network Access Contract



Reference service name:	Reference service C3 – Metered demand (high voltage) bidirectional service						
Reference service description:	A bidirectional service combined with a connection service and a supplementary service (metering) at a bidirectional point on the high voltage (1.0 kV or higher) distribution system.						
Eligibility criteria:	 Users are eligible to use this service if: The bidirectional point is on the high voltage (1.0 kV or higher) distribution system; and The bidirectional point is located at non-residential premises with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and The consumer's inverter system complies with the requirements of AS 4777 and the Horizon Power technical rules, and satisfies a technical assessment by Horizon Power for installations larger than 30 kVA; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power:						
Applicable reference tariff:	DT3						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19						
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract						
Curtailment regime:	As per section 25 of the Network Access Contract						
Risk and liability regime:	As per section 22 of the Network Access Contract						
Payment terms:	As per the Due Date in the Network Access Contract						
Prudential requirements:	As per section 12 of the Network Access Contract						



Reference service name:	Reference service C4 – Contract Maximum Demand (high voltage) bidirectional service						
Reference service description:	A bidirectional service combined with a connection service and a supplementary service (metering) at a bidirectional point on the high voltage (1.0 kV or higher) distribution system.						
Eligibility criteria:	 Users are eligible to use this service if: The bidirectional point is on the high voltage (1.0 kV or higher) distribution system; and The bidirectional point is located at non-residential premises with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and The contracted maximum demand is greater than 1 MVA; and The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and The consumer's inverter system complies with the requirements of AS 4777 and the Horizon Power technical rules, and satisfies a technical assessment by Horizon Power for installations larger than 30 kVA; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard 						
Applicable reference tariff:	different to the applicable service standards for this service. DT4						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19						
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract						
Curtailment regime:	As per section 25 of the Network Access Contract						
Risk and liability regime:	As per section 22 of the Network Access Contract						
Payment terms:	As per the Due Date in the Network Access Contract						
Prudential requirements:	As per section 12 of the Network Access Contract						



Reference service	Reference service C5 – Bidirectional service facilitating a						
name:	distributed generation or other non-network solution						
Reference service description:	A bidirectional service combined with a connection service and a supplementary service (metering) at a bidirectional point on the low voltage (up to 1.0 kV) distribution system in circumstances where this service provides for facilities and equipment connected behind a connection point (including distributed generating works and other non-network solutions) that results in Horizon Power's capital-related costs or non-capital costs reducing as a result of the entry point for the distributed generating works or other non-network solution being located in that particular part of the covered Pilbara network.						
	{Note: a 'thin connection' that involves the export of electricity onto the Horizon Power <i>network</i> or the provision of another <i>network</i> support service may be eligible for this service.}						
Eligibility criteria:	Users are eligible to use this service if:						
Applicable reference tariff:	 The bidirectional point is on the low voltage (up to 1.0 kV) distribution system; and The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and The consumer's inverter system complies with the requirements of AS 4777 and the Horizon Power technical rules; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements; and The user has submitted an electricity transfer application for this service and that application is approved; and Each of the following does not apply under an agreement with Horizon Power: The tariff that determines the charge is different to the applicable reference tariff for this service; or The user is to receive delivered electricity at a service standard different to the applicable service standards for this service. 						
	Network Access Contract						
access contract:							
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19						
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract						
Curtailment regime:	As per section 25 of the Network Access Contract						
Risk and liability regime:	As per section 22 of the Network Access Contract						
Payment terms:	As per the Due Date in the Network Access Contract						



Reference service name:	Reference service C5 – Bidirectional service facilitating a distributed generation or other non-network solution
Prudential requirements:	As per section 12 of the Network Access Contract



8. REFERENCE SERVICES (INTERCONNECTION SERVICES)

Horizon Power offers one *interconnection service* as a *reference service*.

Reference service	Reference Service D1 – Transmission interconnection service						
name:							
Reference service description:	An interconnection service combined with a connection service and a supplementary service (metering) at an interconnection point on the transmission system. Users are eligible to use this service if: 1. The interconnection point is on the transmission system; and 2. The meter is configured to measure the transfer of electricity into and out of the Horizon Power network; and 3. The third party's transmission network complies with the Horizon Power technical rules; and 4. Each of the following does not apply under an agreement with Horizon Power: a. The tariff that determines the charge is different to the applicable reference tariff for this service; or b. The user is to receive delivered electricity at a service standard different to the applicable service standards for this service.						
Eligibility criteria:							
Applicable reference tariff:	TT2						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA), sections 13, 18 and 19						
Duration:	The earlier of the Termination Date as set out in the Network Access Contract, or the date on which the <i>access contract</i> is terminated in accordance with section 28 of the Network Access Contract						
Curtailment regime:	As per section 25 of the Network Access Contract						
Risk and liability regime:	As per section 22 of the Network Access Contract						
Payment terms:	As per the Due Date in the Network Access Contract						
Prudential requirements:	As per section 12 of the Network Access Contract						



9. REFERENCE SERVICES (AUXILIARY)

Horizon Power offers seven services at a connection point as a reference service (auxiliary).

Reference service name:	Reference service E1 – Disconnection of supply ahead of abolishment service						
Reference service description:	A service auxiliary to an <i>exit service</i> , <i>entry service</i> or <i>bidirectional service</i> to disconnect electricity supply, remove the <i>meter</i> and abolish the <i>connection point</i> .						
Eligibility criteria:	 Users are eligible to use this service if: The user has submitted an Application and Agreement for Network Services form to disconnect supply to an existing connection point ahead of abolishment in accordance with the provisions of its access contract; and						
Applicable reference tariff:	AT1						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA), Part 7						
Duration: Curtailment regime:							
Risk and liability regime:	As per the access contract for the reference service at the exit point, entry point or bidirectional point immediately prior to the disconnection of supply						
Payment terms:							
Prudential requirements:							



Reference service name:	Reference service E2 – Disconnection of supply service						
Reference service description:	A service auxiliary to: • exit services A1 and A2; and • bidirectional services C1 and C2, to temporarily disconnect electricity supply.						
Eligibility criteria:	 Users are eligible to use this service if: The user has submitted an Application and Agreement for Network Services form to temporarily disconnect supply to an existing connection point in accordance with the provisions of its access contract; and The user has an exit service A1 or A2 or bidirectional service C1 or C2 at the connection point; and						
Applicable reference tariff:	AT2						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA), Part 7						
Duration: Curtailment regime: Risk and liability regime: Payment terms: Prudential requirements:	As per the access contract for the reference service at the exit point or bidirectional point immediately prior to the temporary disconnection of supply						



Reference service name:	Reference service E3 – Reconnection of supply service						
Reference service description:	A service auxiliary to: • exit services A1 and A2; and • bidirectional services C1 and C2, to reconnect a previously disconnected electricity supply.						
Eligibility criteria:	 Users are eligible to use this service if: The connection point has been temporarily disconnected from the electricity supply following the completion of a Disconnection of Supply Service (E2); and The user has submitted an Application and Agreement for Network Services form to reconnect supply to an existing connection point in accordance with the provisions of its access contract; and The user has an exit service A1 or A2 or bidirectional service C1 or C2 at the connection point; and The user has an access contract and this service is required at a connection point specified in that access contract; and The consumer's facilities and equipment can be safely reconnected in accordance with good electricity industry practice; and If supply has been disconnected for more than six months, the user has obtained, from a licensed electrical contractor, an Electrical Safety Certificate to confirm that the consumer's facilities and equipment are safe for reconnection. 						
Applicable reference tariff:	AT3						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA), Part 8						
Duration: Curtailment regime:							
Risk and liability regime:	As per the access contract for the reference service at the exit point or bidirectional point immediately following the reconnection of supply						
Payment terms: Prudential requirements:							



Reference service	Reference service E4 – Remote disconnection service						
name:							
Reference service description:	 exit services A1 and A2; and bidirectional services C1 and C2, to de-energise a meter by removing supply voltage from all outgoing circuits on a non-permanent basis by a command sent to a meter from a remote locality. The service does not include any site visit by Horizon Power. 						
Applicable reference tariff:	 Users are eligible to use this service if: The user is receiving an exit service or bidirectional service at the connection point; and The user has an access contract and this service is required at a connection point specified in that access contract; and The user has submitted an electricity transfer application for this service and that application is approved; and Communication equipment to transmit commands to, and messages from, the meter and Horizon Power has been installed; and There is a supply voltage present at the meter; and A whole current meter (being a meter that does not have a transformer) is installed at the metering point; and The meter is configured to receive and provide commands for this service from a remote locality. 						
Applicable standard access contract:	Network Access Contract						
Applicable service standards:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA), Part 7						
Duration:							
Curtailment regime:	As partha access contract for the reference service at the quit maint or						
Risk and liability regime:	As per the access contract for the reference service at the exit point or bidirectional point immediately prior to the disconnection of the service						
Payment terms:							
Prudential requirements:							



Reference service	Reference service E5 – Remote disconnection service							
name:								
Reference service description:	 A service auxiliary to: exit services A1 and A2; and bidirectional services C1 and C2, to re-arm a previously de-energised meter by a command sent to a meter from remote locality. The service does not include any site visit by Horizon Power. 							
Eligibility criteria:	Users are eligible to use this service if:							
Applicable reference tariff:	 The meter is de-energised following the completion of a Remote Disconnection Service (E4); and The user is receiving an exit service or bidirectional service at the connection point; and The user has an access contract and this service is required at a connection point specified in that access contract; and The user has submitted an electricity transfer application for this service and that application is approved; and Communication equipment to transmit commands to, and messages from, the meter and Horizon Power has been installed; and There is a supply voltage present at the meter; and A whole current meter (being a meter that does not have a transformer) is installed at the metering point; and The meter is configured to receive and provide commands for this service from a remote locality; and The consumer's facilities and equipment comply with the Horizon Power technical rules and the WA Electrical Requirements. 							
Applicable standard access contract:	Network Access Contract							
Applicable service standards:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA), Part 8							
Duration:								
Curtailment regime:								
Risk and liability regime:	As per the access contract for the reference service at the exit point or bidirectional point immediately following the reconnection of the service							
Payment terms:								
Prudential requirements:								



10. SUPPLEMENTARY SERVICES (METERING)

10.1 Service descriptions

Horizon Power offers six services at a connection point as a supplementary service (metering). A description of each supplementary service (metering) provided is set out in the following table.

Reference number	Service name	Service description		
M1	Unidirectional, interval, monthly, remote	Provision of interval energy data from an interval meter (unidirectional) derived following the collection of the interval energy data via a communications network on a monthly basis.		
M2	Unidirectional, interval, daily, remote	Provision of interval energy data from an interval meter (unidirectional) derived following the collection of the interval energy data via a communications network on a daily basis.		
M3	Bidirectional, interval, monthly, remote	Provision of interval energy data from an interval meter (bidirectional) derived following the collection of the interval energy data via a communications network on a monthly basis.		
M4	Bidirectional, interval, daily, remote	Provision of interval energy data from an interval meter (bidirectional) derived following the collection of the interval energy data via a communications network on a daily basis.		
M5	Unmetered supply, accumulation, monthly, manual	Provision of the metering services set out in the Metering Code for a type 7 connection point.		
M6	Remote one off <i>meter</i> read	Provision upon request of interval energy data collected from an interval meter via a communications network.		

Metering services M1 to M4 include the following:

- (a) upgrade or replacement of the *meter* to align with the requirements of the *Metering Code* and *MSLA* as a result of throughput at the *connection point* changing;
- (b) customer meter reading;
- (c) historical interval data from *interval meters* for a period of up to 12 months in accordance with the requirements of clause A4.2 of the Electricity Industry (Customer Transfer) Code 2016 (WA); and
- (d) the provision of *standing data* in accordance with the *Metering Code*.



10.2 Permissible supplementary services (metering)

The permissible supplementary services (metering) that are available for each *reference* service A1 to A7, B1 and B3, C1 to C4 are identified as ticked (\checkmark) columns in the following table.

{Note: The permissible supplementary services (metering) for reference services B2 and C5 will be the permissible supplementary services (metering) for the underlying entry service or bidirectional service (as applicable) upon which reference services B2 and C5 are based.}

	M1	M2	M3	M4	M5	M6
Exit services						
A1 – Metered demand (low voltage) exit	√	√				√
A2 – Contract maximum demand (low voltage) exit	√	√				√
A3 – Metered demand (high voltage) exit	√	√				✓
A4 – Contract maximum demand (high voltage) exit	√	√				√
A5 – Sub-transmission exit	√	√				√
A6 – Transmission exit	√	√				√
A7 – Streetlighting					√	
Entry services						
B1 – Distribution (high voltage) entry	√	√				√
B3 – Transmission entry	√	√				√
Bidirectional services						
C1 – Metered demand (low voltage) bidirectional			√	√		√
C2 – Contract maximum demand (low voltage) bidirectional			√	√		√
C3 – Metered demand (high voltage) bidirectional			√	√		√
C4 – Contract maximum demand (high voltage) bidirectional			√	✓		√
Interconnection services						
D1 – Third party transmission network interconnection			√	√		√



10.3 Eligibility criteria for supplementary services (metering)

The eligibility criteria for each *permissible supplementary service (metering)* is identified as the rows that are ticked (\checkmark) in the following table.

Each eligibility criterion that is ticked (\checkmark) needs to be met in order to be eligible for the permissible supplementary service (metering).

	M1	M2	M3	M4	M5	M6
The user receives a compatible network access service at the connection point	√	√	√	√	√	√
The consumer's facilities and equipment comply with the Horizon Power technical rules and WA Electrical Requirements.	√	✓	√	√	√	√
An interval meter is installed at the metering point	✓	√	√	√		√
The meter is configured to measure and record interval energy data: out of the network for an exit service; or into the network for an entry service; or into and out of the network for a bidirectional service; or into and out of the network for an interconnection service.	✓	✓	✓	✓		✓
The meter is configured with registers to measure and record interval energy data for the underlying network access service (if applicable)	√	√	√	√		√
The meter is connected to a communications network supported by Horizon Power	✓	✓	✓	✓		✓
The meter is capable of storing interval energy data						√
The user receives a supplementary service (metering) (M1 to M4) in respect to the connection point						√



10.4 Selection of supplementary service (metering) for exit service, entry service and bidirectional service

Each exit service (A1 to A7), entry service (B1 to B3), bidirectional service (C1 to C5) and interconnection service (D1) includes a supplementary service (metering) that is selected by the user from the permissible supplementary services (metering) (M1 to M6).

Upon selection of the *supplementary service* (*metering*) to be included as a component of the *exit service*, *entry service*, *bidirectional service* or *interconnection service*, the *exit service*, *entry service*, *bidirectional service* or *interconnection service* will be numbered as a combination of the *exit service* (A1 to A7), *entry service* (B1 to B3), *exit service* (C1 to C5) or *interconnection service* (D1) number and the *supplementary service* (*metering*) (M1 to M6) number.



11. REFERENCES

The following material is required and should be read in conjunction with this document:

LEGAL REFERENCES:	Code of Conduct for the Supply of Electricity to Small Use Customers 2018 (WA) Electricity Industry (Metering) Code 2012 (WA)
	Electricity Industry (Network and Reliability of Supply) Code 2005 (WA) Pilbara Networks Access Code 2021 (WA)
STANDARD & GUIDELINES:	Horizon Power Technical Rules
RELATED POLICIES AND OTHER DOCUMENTS:	Electricity Distribution Licence Performance Reporting Handbook